


Materials Handling, and Storage

1910, Subpart N



Most Frequent Citations, Subpart N



1910.176 Handling Materials

- (a) Clearances shall be acknowledged when using mechanical eq.
- (b) Material stored stable
- (c) Proper housekeeping shall be maintained



1910.177 Servicing Multi-piece Rims

- (a)(1) Applies to trucks, tractors and trailers
- (a)(2) Material stored stable
- (c) Employees shall be properly trained

1910.178 Powered Industrial Truck

(a) Applies to fork trucks

(1) Operator training required

(1)(I)(iii)(4) Refresher training required (at least every 3 years)

(1)(I)(iii)(6) Employer shall certify each employer has been trained before use



1910.179 **Overhead and Gantry Cranes**

- (b)(2) Shall meet the specifications of ANSI
- (b)(3) Modification if approved by manufacturer
- (b)(4) Load ratings shall be marked
- (b)(8) Only designated persons can operate cranes

1910.180 Crawler, Locomotive, and Truck Cranes

- (b)(2) Shall meet the specifications ANSI B30.5
- (b)(3) Only designated persons can operate cranes
- (c)(1) Loads ratings shall be utilized for control
- (d)(3) Frequent inspections (daily) shall be done before use



1910.181 **Derricks**

(b)(2) Shall meet the specifications ANSI B30.6 1969

(b)(3) Only designated persons can operate cranes

(c)(1) Loads ratings shall be marked

(d)(1)(ii) Frequent inspections (daily) shall be done
before use

1910.183 **Helicopters**

- (b) Daily briefings shall take place
- (c) Loads shall be properly slung
- (e) Hard hats with chin straps and safety glasses used
- (k) Weight limitations shall be adhered to

1910.184 Slings

- (c) Slings shall be used safely
- (d) Inspections shall take place before use (daily)
- (e) Alloy steel chains shall be marked

*Slings shall be removed from service when there is visible damage, wear, or discoloration

